MISSISSIPPI STATE DEPARTMENT OF HEALTH **BUREAU OF PUBLIC WATER SUPPLY**

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT **CERTIFICATION FORM**

SHORT COLEMAN PARK WATER ASSOCIATION

Public Water Supply Name

0710008, 0710022, 0710029

PWS ID#(s) (List ID #s for all Water Systems Covered by This CCR)

The Federal Safe Drinking Water Act requires each community public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Pleas	e Answer the Following Questions Regarding the Consumer Confidence Report	
X	Customers were informed of availability of CCR by:	
	Advertisement in local paper X On water bills Other	
	Date customers were informed: \(\frac{6\infty}{2\infty} \frac{1}{2\infty} \frac{1}{2\infty} O	
	CCR was distributed by mail or other direct delivery. Specify other direct delivery methods: Date Mailed/Distributed://	
X	CCR was published in local newspaper.(Attach copy of published CCR & proof of publication) Name of Newspaper: Tishomingo County Vidette Date Published: 5 / 27 / 2010	
	CCR was posted in public places. (Attach list of locations) Date Posted://	
	CCR was posted on a publicly accessible internet site at the address: www	
CERT	IFICATION	~>
public include	by certify that a consumer confidence report (CCR) has been distributed to the customers of this water system in the form and manner identified above. I further certify that the information ed in this CCR is true and correct and is consistent with the water quality monitoring data provided public water system official by the Mississippi State Department of Health, Bureau of Water Supply.	
	Davis, President (Title (Bresident Moure, Owner, etc.) Please type/print)	Service Services
Name	(Title (President, Mayor, Owner, etc.) Please type/print) 6 2 2010	ယ ှ

Date

Signature

2009 Annual Drinking Water Quality Report Short Coleman Park Water Association PWS ID #0710008, 0710022, & 0710029

Is my water safe?

Last year, as in years past, your tap water met all U.S. Environmental Protection Agency (EPA) and state drinking water health standards set for quality and safety. Local Water vigilantly safeguards its water supplies and once again we are very proud that our system has not violated a maximum contaminant level or any other water quality standard. This report shows the results for our monitoring for the period of January 1st to December 31st, 2009. Included are details about where your water comes from, what it contains, and how it compares to standards set by regulatory agencies. We are committed to providing you with information because informed customers are our best allies.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water that the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their heath care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline at 1-800-426-4791.

Where does my water come from?

Short Coleman currently provides water from three main locations.

ID #0710008 – Water consists of two (2) wells; one pumping from the Paleozoic Aquifer and one pumping from the Gordo Formation Aquifer

Well # 710008-01 - moderate rating on source water assessment

Well # 710008-02 - moderate rating on source water assessment

ID #0710029 – Groundwater consist of two (2) wells pumping from the Paleozoic Aquifer and the surface water is drawn from the Tennessee River

Well # 710029-01 - higher rating on source water assessment

Well # 710029-02 - higher rating on source water assessment

Well # 710029-03 - higher rating on source water assessment

ID #0710022 – Water is purchased from the City of luka which consists of four (4) wells; three that draws from the Paleozoic Aquifer and one drawing from the Fort Payne Chert Aquifer

Well # 710006-01 - moderate rating on source water assessment

Well # 710006-02 - higher rating on source water assessment

Well # 710006-04 - moderate rating on source water assessment

Well # 710006-05 - lower rating on source water assessment

Source water assessment and its availability:

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing at our office upon request. Listed above are the ratings for the wells of Short Coleman Park Water Assoc.

Why are there contaminants in my drinking water?

All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It's important to remember that the presence of these contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791). The sources of drinking water (both tap water and bottled water) include rivers, lakes streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally

Short Coleman Park Water Association PWS ID # 0710008 2009 WATER QUALITY DATA TABLE

Contaminants (units)	MCLG	MCL,		Rai	nge		Violation	Typical Source
	or MRDLG	TT, or MRDL	New Control of Assessment	Low	High	Sample Date		
Disinfectants & Disinf	ection E	By-Prod	ucts				27-27-00-21	
Chlorine (ppm)	4	4	1.70	1.55	1.70	2009	No	Water additive used to control microbes
HAA5 {Haloacetic Acids} (ppb)	0	60	6.0	N/A	N/A	2007	No	By Product of drinking water chlorination
Inorganic Contaminar	nts							
Barium (ppm)	2	2	0.008	N/A	N/A	2006	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Nitrate {measured as Nitrogen} (ppm)	10	10	0.37	N/A	N/A	2009	No	Runoff from fertilizer user; Leaching from septic tanks, sewage; Erosion of natural deposits
Nitrite {m≏asured as Nitrogen} (ppm)	1	1	0.05	N/A	N/A	2009	No	Runoff from fertilizer user; Leaching from septic tanks, sewage; Erosion of natural deposits
Selenium (ppb)	50	50	1.76	N/A	N/A	2006	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines

Contaminants (units)	MCLG	AL	Your Water	# Samples Exceeding AL	Exceeds AL	Sample Date	Typical Source
Inorganic Contaminar	ts (Lead	d and C	opper)				
Copper (ppm)	1.3	1.3	0.06	0	No	2008	Corrosion of household plumbing systems; Erosion of natural deposits
Lead (ppb)	0	15	1	0	No	2008	Corrosion of household plumbing systems; Erosion of natural deposits

Important Drinking Water	Definitions
MCLG - Maximum Contaminant Level Goa	The level of a contaminant in drinking water below which there is no know or expected risk to health. MCLGs allow for a margin of safety.
MCL - Maximum Contaminant	The highest level of a contaminant that is allowed in drinking water. MCLs are set as
Level	close to the MCLGs as feasible using the best available treatment technology.
AL - Action Level	The concentration of a contaminant which, if exceeded, triggers a treatment or other requirements which a water system must follow.
TT-Treatment Technique	A required process intended to reduce the level of a contaminant in drinking water.
MRDLG - Maximum Residual Disinfection Level Goal	The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial microbial contaminants.
MRDL - Maximum Residual	The highest level of a disinfectant allowed in drinking water. Ther is convincing evidence that
Disinfection Level	addition of a disinfectant is necessary for control of microbial contaminants.
MNR - Monitored Not Regulated	
MPL - State Assigned Maximum	n Permissible Level

Unit Descriptions	
ppb - Parts per billion, or micrograms per liter (ug/l)	ppm - Parts per million, or milligrams per liter (mg/l)
pCi/L - Picocuries per liter (a measure of radioactivity)	NA - not applicable
ND - Not detected	NR - Moitoring not required, but recommeded

Short Coleman Park Water Association PWS ID # 0710022

Contaminants (units)	MCLG	MCL,		Rai	nge		Violation	Typical Source
100 (100) 100 (100)	or MRDLG	TT, or MRDL	Your Water	Low	High	Sample Date		
Disinfectants & Disinf	ection E	3y-Prod	ucts					100
Chlorine (ppm)	4	4	1.10	0.37	1.10	2009	No	Water additive used to control microbes
HAA5 {Haloacetic Acids} (ppb)	0	60	6.0	N/A	N/A	2008	No	By Product of drinking water chlorination
Inorganic Contaminar	its					Market		
Barium (ppm)	2	2	0.009	N/A	N/A	2006	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Cadmium (ppm)	0.005	0.005	0.0003	N/A	N/A	2005	No	Corrosion of galvanized pipes; Erosion of natural deposits; Discharge from metal refineries runoff from waste batteries and paints
Chromium (ppm)	0.1	0.1	0.001	N/A	N/A	2005	No	Discharge from steel and pulp mills; Erosion of natural deposits.
Nitrate {measured as Nitrogen} (ppm)	10	10	0.20	N/A	N/A	2009	No	Runoff from fertilizer user; Leaching from septic tanks, sewage; Erosion of natural deposits
Nitrite {measured as Nitrogen} (ppm)	1	1	0.05	N/A	N/A	2009	No	Runoff from fertilizer user; Leaching from septic tanks, sewage; Erosion of natural deposits
Selenium (ppb)	50	50	0.05	N/A	N/A	2005	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines
Contaminants (units)	MCLG	AL	Your Water	# San Exce	eding	Exceeds AL	Sample Date	Typical Source

Contaminants (units)	MCLG	AL	Your Water	# Samples Exceeding AL	Exceeds AL	Sample Date	Typical Source
Inorganic Contaminar	its (Lead	d and C	opper)				A N
Copper (ppm)	1.3	1.3	0.2	0	No	2008	Corrosion of household plumbing systems; Erosion of natural deposits
Lead (ppb)	0	15	10	0	No	2008	Corrosion of household plumbing systems; Erosion of natural deposits

Important Drinking Water	Definitions	
MCLG - Maximum Contaminant Level Goal	The level of a contaminant in drinking water below which there is no know or expected risk to health. MCLGs allow for a margin of safety.	Alleger Commence
MCL - Maximum Contaminant	The highest level of a contaminant that is allowed in drinking water. MCLs are set as	interintale, ce region
Level	close to the MCLGs as feasible using the best available treatment technology.	en per para
AL - Action Level	The concentration of a contaminant which, if exceeded, triggers a treatment or other requirements which a water system must follow.	st = 1 141.
TT-Treatment Technique	A required process intended to reduce the level of a contaminant in drinking water.	
MRDLG - Maximum Residual Disinfection Level Goal	The level of a drinking water disinfectant below which there is no known or expected risl health. MRDLGs do not reflect the benefits of the use of disinfectants to control microb microbial contaminants.	
MRDL - Maximum Residual	The highest level of a disinfectant allowed in drinking water. Ther is convincing evidence	e that
Disinfection Level	addition of a disinfectant is necessary for control of microbial contaminants.) Oh
MNR - Monitored Not Regulated		ซีเทร;
MPL - State Assigned Maximum	n Permissible Level	

I'm 2 State / Resigned Waximan - Shinesize 2000.

Unit Descriptions		977(8),
ppb - Parts per billion, or micrograms per liter (ug/l)	ppm - Parts per million, or milligrams per liter (mg/l)	
pCi/L - Picocuries per liter (a measure of radioactivity)	NA - not applicable	
ND - Not detected	NR - Moitoring not required, but recommeded	e projektivani se ezerak

Short Coleman Park Water Association

PWS ID # 0710029

2009 WATER QUALITY DATA TABLE

Contaminants (units)	MCLG	MCL,		Rai	nge		Violation	Typical Source had		
	or MRDLG	TT, or MRDL	Your Water	Low	High	Sample Date		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Disinfectants & Disinf		************		LOW	ingn	Date		The control of the co		
Chlorine (ppm)	4	4	1.80	1.00	1.80	2009	No	Water additive used to control		
HAA5 {Haloacetic Acids} (ppb)	0	60	5.0	N/A	N/A	2009	No	By Product of drinking water chlorination		
TTHM{Total Trihalomenthane (ppb)	0	80	9.0	N/A	N/A	2009	No	By-Product of drinking water chlorination		
Inorganic Contaminar	nts					1				
Barium (ppm)	2	2	0.003	N/A	N/A	2009	No	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits		
Cadmium (ppm)	0.005	0.005	0.0002	N/A	N/A	2009	No	Corrosion of galvanized pipes; Erosion of natural deposits; Discharge from metal refineries runoff from waste batteries & paints		
Chromium (ppm)	0.1	0.1	0.002	N/A	N/A	2009		Discharge from steel and pulp mills; Erosion of natural deposits.		
Nitrate {measured as Nitrogen} (ppm)	10	10	0.20	N/A	N/A	2009		Runoff from fertilizer user; Leaching from septic tanks, sewage; Erosion of natural deposits		
Nitrite {measured as Nitrogen} (ppm)	1	1	0.05	N/A	N/A	2009	No	Runoff from fertilizer user; Leaching from septic tanks, sewage; Erosion of natural deposits		
Selenium (ppb)	50	50	0.052	N/A	N/A	2009	No	Discharge from petroleum and metal refineries; Erosion of natural deposits; Discharge from mines		
Thallium (ppb)	0.5	2	0.8	N/A	N/A	2009	No	Discharge from electronics, glass, and leaching from ore-processing sites; drug factories		
Synthetic Organic Co.	ntamina	nts inc	luding P	esticide	s and F	derbicides		je from		
Dalapon (ppb)	200	200	1.8	N/A	N/A	2008	No	Runoff from herbicide used on rights of way		
Dibromoacetic acid (ppb)	MNR	MNR	98	N/A	N/A	2008	No			
Contaminants (units)	MCLG	AL	Your Water	Exce	nples eding \L	Exceeds	Sample Date	Typical Source paints		
Inorganic Contaminar	nts (Lea	d and C	opper)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				TOTAL		
Copper (ppm)	1.3	1.3	0.1	(כ	No	2008	Corrosion of household plumbing systems; Erosion of natural deposits		
Lead (ppb)	0	15	4	()	No	2008	Corrosion of household plumbing systems: Erosion of natural deposits		
Important Drinkin	g Water	Definit	ions							
MCLG - Maximum Contamina Level Goal	ant	risk to he	alth. MCL	Gs allow f	or a marg	in of safety.		s no know or expected		
MCL - Maximum Contaminan Level	t	close to t	he MCLGs	as feasib	le using th	ne best availa	able treatme	ent technology.		
AL - Action Level		The concentration of a contaminant which, if exceeded, triggers a treatment or other requirements which a water system must follow.								
TT-Treatment Technique								nt in drinking water.		
MRDLG - Maximum Residual Disinfection Level Goal	health. N	The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial microbial contaminants.								
MRDL - Maximum Residual Disinfection Level		The highest level of a disinfectant allowed in drinking water. Ther is convincing evidence addition of a disinfectant is necessary for control of microbial contaminants.								
MNR - Monitored Not Regula	ted									
MPL - State Assigned Maxim Unit Des	um Permi		el					1908, 14		
ppb - Parts per billion, or			r (ug/l)			ppm - Par	ts per millio	on, or milligrams per liter (mg/l)		
pCi/L - Picocuries per liter ND - Not detected						NA - not ap	plicable	uired, but recommeded		
					-4					

occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

How can I get involved?

Our board meets monthly on the first Tuesday night of each month at 7:00 PM at the Tishomingo County Electric Power Association Board Room. We encourage all customers who have any concerns or questions to meet with us. Our Association conducts its annual membership meeting on the first Tuesday night in August at 7:30 PM at the Surface Water Treatment Plant. This is a very important meeting in which all customers are encouraged to attend.

FOR MORE INFORMATION CONTACT:

Short	Coleman Park Water Association
	ATTN: Ricky Davis, President
	PO Box 87; 305 W Eastport Street
	luka, MS 38852
	Phone: 662-424-0017
	Email: shortcolemanpark@bellsouth.net

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Short Coleman Park Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

Monitoring and reporting of compliance data violations

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. Beginning January 1, 2004, the Mississippi State Department of Health (MSDH) required public water systems that use chlorine as a primary disinfectant to monitor/test for chlorine residuals as required by the Stage 1 Disinfection By-Products Rule. Our water system passed all of these monitoring requirements. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

Conservation Tips

Did you know that the average U.S. household uses approximately 350 gallons of water per day? Luckily, there are many low-cost or no-cost ways to conserve water. Water your lawn at the least sunny times of the day. Fix toilet and faucet leaks. Take short showers. - a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath. Turn the faucet off while brushing your teeth and shaving.; 3-5 gallons go down the drain per minute. Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!

The tables below list all the drinking water contaminants that we detected during the calendar year of this report. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this tabl. if from testing done in the calendar year of the report. The EPA and the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently.

PROOF OF PUBLICATION

STATE OF MISSISSIPPI	,
TISHOMINGO COUNTY	7

County News, a newspaper publis	he undersigned, Notary Public court, ir shed in the Town of Iuka, in said coun attached, was published in said newsp	nty, who being duly sworn, depo	ses and says that the
In Vol	No. 42	Dated May 27,	20 ./.0
In Vol	No	Dated	20
In Vol	No	Dated	20
In Vol	No	Dated	20
In Vol	No	Dated	20
In Vol	No	Dated	20
In Vol	No	Dated	20
In Vol	No	Dated	20
In Vol	No	Dated	20
In Vol	No	Dated	20
			, Publisher
Sworn to and subscribed before n	ne this <u>2 nd</u> day of	Thoulette B. My Notary Public	, A.D., 20 /b Commission Expires March 4, 2013
A B P T	STATEMENT		waicii 4, 2013
CCR Rujert Publishing words	, 12 cents first insertion		. \$3 <i>00,00</i>
0-	, 10 cents for each subsequent insertion		
Publishing words,			
	Makir	ng proof of publication	. \$ 3.00
			\$
	Total		. \$ 303, 00
			Rankin-Corinth 7/04 · 500 287-4426

2009 Annual Drinking Water Quality Report Short Coleman Park Water Association PWS ID #0770008, 0710022, & 0710029

Phone: 662-424-0017


Short Coleman Park Water Association PWS ID # 0710008 2009 WATER QUALITY DATA TABLE

ontamparte (unite)		del of	on state	100			100	CASSASSEMBLE CONTRACTOR
sinfectants & Disini Jorine (ppm)	ection B		170	1.55]	1.70	2009	1/3	Kiletat additive used to control recrobes
AS (Haloacenic Acids)	0	80	60	NA	NA	2007	100	By Product of directing water photosistion
e) organic Contamina	its.	1000	100	8 2 3	7,4168	2008	No	Discharge of griding weater: Discharge from
irum (pom)	1.7	2	0.008	N/A	JN/A		S0.468	make refriction Existing of natural deposits
trate (measured as trogen) (ppm)	10	10	0.37	NVA	NA	2009	No	Fundi bors heritar user. Lauching from septic (anka, Serrage, Eroston of natural deposits
date (measured as	1	1	0.05	NIA	NA	2009	No	Runoll from familiaer user: Leaching from seguic tanks, selenge: Erosion of natural deposits
irogen) (opm) elenium (ppb)	50	50	1.78	INA	N/A	2006	No	Discharge from pairpieum and metal Informes, Eroson of natural deposits, Discharge from mices
Contaminanta (una 18		1:5	Yeve Water			1.4	Date 2008	PART TRAPE
Copper (ppm)	13	1.3	0.06	T	0	No	2000	Ernami of natural deposits
Lead (ppb)	0	15	++	1	0	No	2008	Complete of household plumbing systems. Erosion of natural deposits
Important Orini	dna Wel	ar Defir	itions	1	ere v		halow MA	on there is no know or expected
MCLG - Maximum Con	PUNIVEUS							
MCL - Maximum Contu	myant	close	to the Mi	GOO OF B	contami	aust weech.	d exceede	d triggers a treatment or other
AL Action Level		requ	Emenu	ALC DO	nded to	reduce the	level of a	onlaminant in dinning water
MRDLG - Maximum Disinfecturi Level C	Residua	The	STATE OF ST	grinking :	of reflect	the benefit	of the up	e of distributions to control microwal
MRDL - Maximum								water. Ther is convening evidence that of microbial contaminants.
Disinfection Level	- dead	12.0	0.072 (8)					200 100 100 100 100 100 100 100 100 100
MNR - Monitored N			1000	SAME STATES	40.00	19 77 G S 18	100000000000000000000000000000000000000	THE RESERVE OF THE PERSON OF T
MPL - Stele Assign Unit ppb - Paris per billo	Descrip	tions	335Z5 20	40000	A	CONTRACTOR OF THE PARTY OF	Dans ned	makon, of makorama pet ider (mg/l)

Short Coleman Park Water Association PWS ID # 0710022 2009 WATER QUALITY DATA TABLE

Contiminanti (Unita)	in this	MITOLES	W. 1				(0)1400	
Disinfectants & Disinf Priorine (ppm)	ection 6	y-Prod 4	110	0,37	1 10	2009		Diversi accione used to control
(AAS (Hakoacetic Acida)	0	80	6.0	NA	N/A	2008		By Product of direking water concentration
norganic Contaminal Banum (ppm)	186	1 2	0.009	N/A	N/A	2006	No	Decharge of disting wastes Dacharge from the later to the property of the prop
Sadmium (ppm)	0.005	0.005	0.0003	N/A	N/A	2005	No	Corosion of galaximum popes, Emeron of natural deposits. Discharge from messi- effectes runoif from waste batteres and paints
Chromium (ppm)	01	0.1	0.001	N/A	NIA	2005	No	Coscharge from steel and pulp must Erosion of natural deposits
Nitrate (measured as Nitrogen) (ppm)	10	10	0.20	NA	NA	2009	No	Russoff from tentage user. Leaching from septic lanks, sewage. Erosion of natural deposits
Nitrogen) (ppm)	1	1	0.05	NVA	N/A	2009	No	Purcel from terrical viet. Leaching from septic tarks, service Eroson of network deposits
Selenium (ppb)	50	60	0.05	N/A	NA	2005	No	

In a new Control (1961)	VALUE EST TO A SECOND STATE OF THE SECOND SE
lo Conteminants II	and and Copper) No 2008 Coronor of household physicing as a second of historial physicing.
(ppm)	Section of household plantarity in the
ρ0) 0	15 10
721 Galwa	and palenting and a series and
analous and	tier DEFINIUM STANS SERVICE STANS SERVICE SERV
oal Maximum Contaminant	the highest was a feasible using the best wronger, in the season of the bose to the MCI or as feasible using the best wronger, in the season of the consentation of a consentration which, it assessed, include a weather the consentration of t
cuon Level	Requirements which a water a support of the layer of a continuous of expected risk to A required process interested to reduce the layer of a continuous of expected risk to A required process interested to the continuous of expected risk to a continuous of expected risk to a continuous of expected risk to continuous or expected risk to cont
gimeni Technique G - Maximum Residu ection Level Goal	The Move of a consensation of the benefits of the benefits of the benefits and the conversing endence that the conversion conversion of the conversion of th
Davidus	The negative necessary to
lection Level Monitored Not Regional Management Managem	
JO Unit Desc	Haddone (C. Specifical Co.) 1997 (1998) 19
Parts per bisson, or mo Proquires per trait is	TORRUS DE MATURE 10A YOU RESCRIBED 10A YOU
Not delected	Park Water Association
	OUALITY DATA TABLE
	2009 WATER GOVERNMENT TO THE PROPERTY OF THE P
Contaminanta (Unita	CONTROL OF THE PROPERTY OF THE
Disinfectants & Disi Chlorine (ppm)	A A 180 100 180 WO By Product of country water.
HAAS (Haloscetic Acade)	0 50 5.0 NA PUS Expension of Grand Paler Chargester
TTHANTotal Trosalemeran	gride D 80 81
(ppb)	nents NA NA NA
Benum (ppm)	Q 005 0 005 Q 0002 19/4 Page 1
<u> </u>	N/A N/A 2009 NO September of natural degraded
Natiate (measured	10 10 020 NA
Macden Lee	0.05 N/A N/A 2008 Learning from septic talks 9
Nitrile (measured Nitrogen) (ppm)	No. Dicharge from perceion and metal
Selensum (ppb)	No. Decharge from eachtronics, gires, and
Thallium (ppb)	
	and Conteminants Including Pessicides and Herbicides No. Recontemination used on open of use 200 200 18 NA. NA. 200 No. Reconteminations used on open of use 200 200 80 NA. NA. 200 No. Reconteminations used on open of use 200 No. Recontemination used on open of used on open of use 200 No. Recontemination used on used on open of use 200 No. Recontemination used on used
Synthetic Orga Delapor (ppb)	
Decomparate acci Conteminants	Water Land
	plaminants (Lead and Copper) 0 No 2008 Contents of Patricia deposits
	0 95 4 Eroton of name and
Lead (PPP)	Descriptions which there is no know of expected
IACAG 14400	The investigation of the control of
	Close to Livering and which a supering and the supering a
AL ACCOUNT	A required process with read to believe which there is no known or expension A required process with gourdectars below which there is no known or expension microbial.
TT-Treatment MADLO - Man DAWISSION L	com Residuel seath MROX Gs do not reflect the many and a company expense that
The second second	
	ood No Regulated Assgrad Maximum Parmasola Level Assgrad Maximum Parmasola Level Paris per million, or multiprima per bigr (right)
696 · Pan	
NO - NO SA	



CCR IS AVAILABLE FOR

VIEWING IN THE WATER OFFICE.

TUKA

P.O. Box 87

Iuka, MS 38852 0087 (662)424 0017 ()

730 JACKIE MEDDER

U.S. PUSTAGE

Paid 1 oz. PERMIT NO.

RETURN THIS PORTION WITH PAYMENT